	Application No.	Applicant(s)
Notice of Allowability	10/070 000	
	10/673,339 Examiner	KAGEYAMA ET AL. Art Unit
	Yahveh Comas	2834
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>1/5/2006</u> .		
2. ☑ The allowed claim(s) is/are 1,6-13,18 and 20-25		
 3.		
1. ☐ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) I including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summan	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da 8), 7. ☐ Examiner's Amend	ate Iment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Statem	ent of Reasons for Allowance
- 1-1-1-2-1-2-1-1-1-1-1-1-1-1-1-1-1-1-1-	9.	

Application/Control Number: 10/673,339 Page 2

Art Unit: 2834

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1, 6-13, 18 and 20-24 allowed.
- 2. The following is an examiner's statement of reasons for allowance:

Applicant teaches a plurality of commutator segment including at least one ridge to secure the commutator segment relative to the dielectric body.

Terada (U.S. Pat. 2001/0004177) discloses a commutator segment including at least one ridge. However, the cited reference fail to individually disclose, or suggest when combined, a first spaced defined on one side of the adjacent protrusion of the low projection portion, and a second space defined on the other side of the adjacent protrusion of the low projecting portion between the adjacent protrusion of the low projecting portion and the protrusion of the high projecting portion, and at least a portion of the first space and at least a portion of the second space are placed along an imaginary line that is parallel to the projecting direction of the ridge.

No prior art was found teaching individually, or suggesting in combination, all of the features of the applicants' invention, specifically a first spaced defined on one side of the adjacent protrusion of the low projection portion, and a second space defined on the other side of the adjacent protrusion of the low projecting portion between the adjacent protrusion of the low projecting portion and the protrusion of the high projecting portion, and at least a portion of the first space and at least a portion of the second space are placed along an imaginary line that is parallel to the projecting direction of the ridge in combination with the recited structural limitations of the claimed invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yahveh Comas whose telephone number is (571) 272-2020. The examiner can normally be reached on 8am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on 571-272-2044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



